Computer Kiosk With Steel Body, Wooden Top & Visualizer

Hugo Techno's Industrial grade Computer Kiosk is an integration of premier components that help to deliver flawless lectures & presentations. An opulent & well- formed external structure that has *polymer powder coated steel body (MS with 3.0 mm thickness) with screw less chassis.*



Hugo Techno Computer Kiosk is floor and wheel mounted and capable of easy moving in all directions with a locking facility. Podium has a full HD LED Screen that provides crystal clear picture quality. *A Wooden top panel that slides and helps to cover screen* with *key and lock facility. Sliding tray* is provided to *keep Laptop, Keyboard, Mouse and Visualizer*.



Model: HT EP-200

All fitted locks has a *single key*. Different podium's key can't be interoperable. Hugo Techno Computer Kiosk also has Integrated authentication System having *RFID*, *Password protection* and physical keys for secure access to system.



Housing and connectivity for Visual Presenter is available. Drawer can be opened at the time of using the Visualiser.

No port exposed/visible on the outer body for breakage/mishandling while the podium is locked and not in use.

Built-in highly sensitive Interactive Panel with *adjustable tilt* and a mechanism to make the Panel stable so that it does not shake while writing.



Hugo Techno understands the need of today's teaching & learning and to give an impeccable experience, offers an annotation software with a virtual keyboard and features like choose penpencil, color, edit, print, email, save, delete, fonts, shapes, size and many others.

| Model | HT EP200 | |
|---|--|--|
| Type of podium | Free Standing | |
| Display | | |
| Type of Screen | LED with 3 mm protection glass overlay | |
| Display Size & Resolution | 54.61 cm & 1920 X 1080 | |
| Brightness of the Screen | 500 Nits | |
| Aspect Ratio | 16:9/16:10 | |
| Response Time | 5 ms | |
| Viewing Angle | 170 deg. (Horizontal); 160 deg. (Vertical) | |
| Computer Interface | USB, DVI | |
| Type of Touch | Capacitive Touch - Finger and Stylus | |
| Reading Accuracy | +/- 0.5mm (Center) | |
| Tracking Speed | 200 points / sec. (Approx.) | |
| Pen Pressure Sensitivity | 2048 Levels; 4000 Lpi Interactive Resolution | |
| Inbuilt Speaker | Available | |
| Speaker Power | 2W | |
| System Details | | |
| Processor | Intel 3 GHZ Processor, 3 MB Cache on motherboard | |
| Memory & Storage | 4 GB & 1 TB | |
| Input and Output | USB 2.0 x 3, USB 3.0 x 2, LAN 10/100/, VGA | |
| Audio | 1 x Line-out/1 Line-in | |
| OS (Pre-loaded) | Windows 10 Professional | |
| Other Accessories | Optical Drive (External), Wireless USB keyboard and mouse | |
| Software | | |
| Annotation Software | Features like choose pen-pencil, color, edit, print, email, save, delete, fonts, shapes, | |
| - | size and many others | |
| Ports | | |
| VGA, LAN, USB2.0 x 3, USB3.0 x 2, Power Supply Socket x 1 | | |
| Standar Accessories | | |
| 1 KVA online UPS with batteries (60 minutes backup) | | |

Podium Specification:

| Built in Devices | | |
|----------------------|--|--|
| Audio System | Power: 100W rms Amplifier (Wireless microphone receiver inbuilt) and 50W rms x 2 Speakers | |
| Gooseneck Microphone | 21.5cm Gooseneck Microphone with XLR output with ON/OFF switch and with LED light indicating ON/OFF status, Phantom powered (no requirement of batteries) permanently polarised condensor, highly directional featuring hypercardioid /lobar directivity. | |
| Wireless Microphone | 1 Handheld Mic, One Collar microphone and Receiver with a range of 15 mtr. | |
| Panel Ports | USB, HDMI, VGA, RJ45(LAN) and Power Supply Socket | |

| Central Controller with Panel and video scalar feature | 2 VGA inputs, 2 Audio Inputs, 2 Video inputs |
|---|--|
| Podium Power Supply | 180 -240V, 50Hz, AC Supply |
| Podium Power Consumption | 300 Watt |
| Weight | 94 Кg |
| Dimension | 134.62 cm (Width) x 124.46 (Height) x 63.5 (Depth) |

Visualizer Specification:

| Model | HUGO VP-8 |
|----------------------|---|
| Total Pixels | 5 Mega Pixel |
| Resolution | 1920 x 1080 pixels (Full HD) |
| TV Lines Resolution | 950 TV Lines |
| Optical Zoom | 12x |
| Digital Zoom | 15x |
| Frame Rate | 30 FPS |
| Shooting Area | A4 Size |
| Focus | Auto/Manual |
| Lighting | Available |
| Signal Support | 1024×768, 1280×1024, 1920x1080 |
| VGA Input | Available |
| HDMI Input | Available |
| Audio Input | Available |
| VGA Output | Available |
| HDMI Output | Available |
| Audio Output | Available |
| USB Port | Available |
| SD Card Slot | Available |
| Direct Mouse Control | Available |
| Multimedia Functions | Color/Black-White, Mirror, Rotate, Brightness Control, Freeze, PBP, and |
| | Preview |
| Remote Control | Available |
| Accessories | AC Adapter, Power Cord, User Manual, Remote Control |



Techno info@hugotechno.com http://hugotechno.com/

Hugo Techno is a progressive company, trusted throughout the world because of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.