

Electronic Podium With Steel Body and Wooden Top

Hugo Techno's Industrial grade Electronic Podium is an integration of premier components that help to deliver flawless lectures & presentations. An opulent & well- formed external structure that has *powder coated steel body and screw less chassis.*



Hugo Techno Electronic Podium is processor based has 1.8mm thick enclosure and is wheel mounted and capable of easy moving in all directions with a locking facility. Podium has a full HD LED Screen that provides crystal clear picture quality. *A Wooden top panel that slides and helps to cover screen with key and lock facility. Sliding tray is provided to keep Laptop, Keyboard and Mouse.*

All fitted locks has a *single key*. Different podium's key can't be interoperable. Hugo Techno Electronic Podium also has Integrated authentication System having *RFID, Password protection* for secure access to system.

Housing and connectivity for Visual Presenter is available. Drawer can be opened at the time of using the Visualiser.

No port exposed/ visible on the outer body for breakage/mishandling while the podium is locked and not in use.

Built-in highly sensitive Interactive Panel with adjustable tilt and a mechanism to make the Panel stable so that it does not shake while writing.

Hugo Techno understands the need of today's teaching & learning and to give an impeccable experience, offers an annotation software with a virtual keyboard and features like choose pen-pencil, color, edit, print, email, save, delete, fonts, shapes, size and many others.

Podium Specification:

Model	PIK 19
Type of podium	Free Standing, Floor Mount
Display	
Type of Screen	Antiglare overlay (4mm thick) Color LED Capacitive Touch Screen
Display Size & Resolution	54.61 cm (22 inch) & 1920 X 1080
Brightness of the Screen	400 Nits
Aspect Ratio	16:9/16:10
Response Time	5 ms
Viewing Angle	170 deg. (Horizontal); 160 deg. (Vertical)
Computer Interface	USB, DVI
Type of Touch	Capacitive Touch - Finger / Stylus
Reading Accuracy	+/- 0.5mm (Center)
Tracking Speed	200 points / sec. (Approx.)
Pen Pressure Sensitivity	2048 Levels; 4000 Lpi Interactive Resolution
Speaker	Inbuilt
Speaker Power	2W
System Details (Processor Based)	
Processor	Intel Dual Core, 3.5 GHz processor speed
Memory & Storage	8 GB & 1 TB
Input and Output	USB 2.0 x 3, USB 3.0 x 1, LAN 10/100/, VGA
Audio	1 x Line-out/1 Line-in
OS (Pre-loaded)	Windows 10
Optical Disk Drive	Available
Other Accessories	Standard keyboard and mouse
Software	
Annotation Software	features like choose pen-pencil, color, edit, print, email, save, delete, fonts, shapes, size and many others.

Ports
VGA, LAN, USB2.0 x 3, USB3.0 x 2

Built in Devices	
Audio System	Power: 100W Amplifier and 50W x 2 Speakers, Tweeter x 1, Woofer x 3
Gooseneck Microphone	21.5cm Gooseneck Microphone with XLR output with ON/OFF switch and with LED light indicating ON/OFF status, Phantom powered (no requirement of batteries) permanently polarised condensor, highly directional featuring hypercardioid /lobar directivity.
Wireless Microphone	1 Handheld Mic, One Collar mic and one Head set microphone and Receiver with a range of 15 mtr.
Central Controller with Panel and video scalar feature	2 VGA inputs, 2 Audio Inputs, 2 Video inputs
Operating Temperature	5 deg - 45 deg.
Operating Humidity	85% Relative
Podium Power Supply	180 -240V, 50Hz, AC Supply
Weight	90 Kgs.
Overall Dimension	134.62x124.46x63.5 cm
Podium Power Consumption	120 Watt
Warranty	1 Year