

Electronic Podium With Steel Body, Wooden Top & Visualizer

Hugo Techno's Industrial grade Electronic Podium is an integration of premier components that help to deliver flawless lectures & presentations. An opulent & well- formed external structure that has *polymer powder coated steel body with screw less chassis.*



Hugo Techno Electronic Podium is floor and wheel mounted and capable of easy moving in all directions with a locking facility. Podium has a full HD LED Screen that provides crystal clear picture quality. *A Wooden top panel that slides and helps to cover screen with key and lock facility. Sliding tray is provided to keep Laptop, Keyboard, Mouse. and Visualizer.*

All fitted locks has a *single key*. Different podium's key can't be interoperable. Hugo Techno Electronic Podium also has Integrated authentication System having *RFID, Password protection* and physical keys for secure access to system.



Housing and connectivity for Visual Presenter is available. Drawer can be opened at the time of using the Visualiser.

No port exposed/ visible on the outer body for breakage/mishandling while the podium is locked and not in use.

Built-in highly sensitive Interactive Panel with *adjustable tilt* and a mechanism to make the Panel stable so that it does not shake while writing.

Hugo Techno understands the need of today's teaching & learning and to give an impeccable experience, offers an annotation software with a virtual keyboard and features like choose pen-pencil, color, edit, print, email, save, delete, fonts, shapes, size and many others.

Podium Specification:

| | |
|---|---|
| Model | HT DP22 |
| Type of podium | Free Standing |
| Display | |
| Type of Screen | LED |
| Display Size & Resolution | 53.0 cm & 1920 X 1080 |
| Aspect Ratio | 16:9/16:10 |
| Response Time | 5 ms |
| Viewing Angle | 170 deg. (Horizontal); 160 deg. (Vertical) |
| Computer Interface | USB, VGA/DVI/HDMI Port |
| Type of Touch | Finger and Stylus |
| Reading Accuracy | +/- 0.5mm (Center) |
| Tracking Speed | 200 points / sec. (Approx.) |
| Pen Pressure Sensitivity | 2048 Levels; 4000 Lpi Interactive Resolution |
| Inbuilt Speaker | Available |
| System Details | |
| Cabinet | Small form factor, 2 liters Volume |
| Processor | Intel core i3 (8 th generation), 3.1 GHZ Processor, 6 MB Cache on motherboard |
| Memory & Storage | 4 GB (upgradable upto 32GB) & 1 TB |
| Wifi / Wireless LAN card | Inbuilt |
| Input and Output Ports | HDMI x 1, DP (Display Port) x 2, USB 3.0/3.1 ports x 6, LAN Port x 1 |
| OS (Pre-loaded) | Windows 10 Professional |
| Antivirus | Norton / McAfee antivirus with 1 year subscription |
| Other Accessories | Optical Drive (External), Wireless USB keyboard and mouse |
| Software | |
| Annotation Software | Features like choose pen-pencil, color, edit, print, email, save, delete, fonts, shapes, size and many others |
| Built in Devices | |
| Audio System | Power: 100W rms Amplifier (inbuilt Wireless microphone receiver) and 50W rms x 2 Speakers |
| Gooseneck Microphone | 21.5cm Gooseneck Microphone with XLR output with ON/OFF switch and with LED light indicating ON/OFF status, Phantom powered (no requirement of batteries) permanently polarised condensor, highly directional featuring hypercardioid /lobar directivity. |
| Wireless Microphone | 1 Handheld Mic, One Lapel microphone and transmitter with a range of 10 mtr. |
| Front Panel Ports | Power supply socket Computer Audio IN, VGA IN, USB 3.0 x 2, HDMI IN |
| Central Controller with Panel and video scalar feature | Volume Control, Power On/Off, Projector/Display On/Off, Mute, External PC input, VGA, Touch pad keys. Selection switch to toggle between various sources for the output on the projection screen through a touch panel |
| Podium Power Supply | 180 -240V, 50Hz, AC Supply |
| Podium Power Consumption | 300 Watt |
| Weight | 94 Kg |
| Dimension | 134.62 cm (Width) x 124.46 (Height) x 63.5 (Depth) |

Visualizer Specification:

| | |
|--------------------------------|---|
| Total Pixels | 5 Mega Pixel |
| Resolution | 1920 x 1080 pixels (Full HD) |
| TV Lines Resolution | 950 TV Lines |
| Optical Zoom | 12x |
| Digital Zoom | 15x |
| Frame Rate | 30 FPS |
| Shooting Area | A4 Size |
| Focus | Auto/Manual |
| White Balance | Auto/Manual |
| Lighting | Available |
| Signal Support | 1024×768, 1280×1024, 1920×1080 |
| VGA Input | Available |
| HDMI Input | Available |
| Audio Input | Available |
| VGA Output | Available |
| HDMI Output | Available |
| Audio Output | Available |
| RS232 Input | Available |
| USB Port | Available |
| SD Card Slot | Available |
| Direct Mouse Control | Available |
| Direct Microphone Input | Available |
| Multimedia Functions | Rotate, Brightness Control, Freeze, PBP, and Preview, Color/Black-White, Mirror |
| Remote Control | Available |
| Accessories | AC Adapter, Power Cord, User Manual, Remote Control |



info@hugotechno.com
<http://hugotechno.com/>