

Electronic Podium with Metallic Body and Wooden Top

Hugo Techno Electronic Podium offers best-in-class audio system with Full HD LED Screen (1920x1080 resolution) that helps in delivering perfect presentations.



hugo
TECHNO

Model: HT EL21C

Hugo Techno introduces *wheel mounted* Electronic Podium capable of moving in all directions with a locking facility while the podium is in use. Hugo Techno Podium is made of Screwless chassis and Polymer Coated 1.6mm thick CRCA Steel Sheet *body*. *Suitable cooling fans are provided in the lower body* designed to work in suitable environmental conditions.

Top panel is made up of wood and act as a sliding cover for easy opening/closing with key and lock facility. Sliding tray is provided to keep Laptop, Keyboard and Mouse.

All the locks fitted in the powder coated steel body has a *single key*. Different podium's key can not be interoperable.

Housing and connectivity for Visual Presenter is available. Drawer can be opened at the time of using the Visualiser.

No port exposed/ visible on the outer body for breakage/mishandling while the podium is locked and not in use.

Built-in highly sensitive Interactive Panel with motorized *tilt* and a mechanism to make the Panel stable so that it does not shake while writing.

Product Specifications:

Model	HT EL21C
Podium Type	Processor based, Floor Mounted with wheels, Metallic Frame
Display	
Screen Type	LED capacitive touch with motorized tilt mechanism, Anti glare and vandal resistant screen
Display Size	21 inch
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 nits
Touch	Finger / Stylus
Software	
Annotation features	Pens, Draw, choose, annotate, erase, color, shapes, sizes, text, edit, fonts, stamp, move, capture picture, video, save, rotate, undo, image gallery, print, background, floating keyboard etc.
System Details	
Processor	Intel core i3 3.2 GHz processor
Chipset	Suitable chipset for processor
Memory	4 GB
Storage	500 GB
Operating System	Windows 8.1 (Preloaded)
Keyboard and Mouse	Standard Keyboard and Mouse
Console Panel Ports (Accessible from outer body of Podium)	
RGB Input	5 x HDMI, 1 x VGA Input, 4 x Video Pin

USB Input	USB2.0 x 2 and USB 3.0 x 1 Ports to facilitate inputs directly from Pen Drives / USB based hard disk Drive etc.
LAN Connection	RJ 45 LAN Port
Built in Devices	
Gooseneck Microphone	Provided
Wireless Microphone	Provided
Handheld Microphone	Provided
Wireless Receiver	Provided
Amplifier	Power: 150W x 2 @ 4ohms
Speakers	Two 30W Speakers
Cooling Fans	Provided
General Specifications	
Power Consumption	250 Watt
Operating Temperature / Humidity	5-45 deg. C / 40 deg. at 90% RH (non condensing)
Storage Temperature / humidity	-10 to 55 deg. C / 40 deg. at 90% RH
Weight	40 Kg
Power Supply	180 -240V, 50Hz, AC Supply