

LED Backlit 65 Inch Touch with Auto Light Adjustment for 16x7 operation

Hugo Techno presents 65" Full HD (1920 x 1080 including 1080i & 1080p) LED touch screen. An elegant, appealing, smart and sleek structure with best-in-class reliability, stunning and crystal clear image quality. User-friendly and interactivity tools, duo System (Inbuilt Android, support OPS for Windows). Free Wi-Fi Hotspot Functionality and Integrated PC Module gives you all plausible reasons to deploy it in your meeting, conference & classrooms.



hugo
TECHNO

Model: VDU 65HT

Hugo Techno LED touch screens have multiple applications that will take your presentation & teaching to the next level.

The VDU 65HT, an impressive interactive display that also offers you additional features.

ANNOTATION FEATURE Annotate, edit, print, email, save, delete, copy, paste, color, choose pen, floating keyboard etc.

NETWORK CLASSROOM FEATURE Conduct sessions without any demographic limitations, through all types of media files.

ADDITIONAL FEATURE Word/PDF/ PPT /Excel Viewer, Intelligent Temperature control, Support Wi-Fi / LAN Printer, Input Resource Preview

Product Specifications:

Model	VDU 65HT
Technology	LED Backlit IPS PANEL
Size of Display & Resolution	Diagonally 65 inches & Full HD 1920 X 1080
Effective Display Area	1428 x 803 mm (W x H)
Orientation	Landscape
Touch Technology	IR
No. of Touch	10 Touch capability
Brightness	350 cd/m ²
Aspect Ratio	16:9
Contrast Ratio	5000:1
Anti-Glare Panel Surface	√
Viewing Angle (H/V)	178:178
Response Time	5 ms
Input Ports	Easily accessible ports in front panel, Total ports - HDMI x 3, VGAX1, PC Audio X 3, S-Video X 1, YPbPr/ YCbCr / Audio out X 1, USB Media Play Port X 1, Touch Frame USB Port X 3
No. of Speakers & Power	2 Inbuilt speakers, 15 Watts RMS each
Communication port	RS 232C
Power supply	230V AC +/- 10%, 50 Hz
Power consumption	<220 Watts (Operational Mode); <0.5 Watts (Sleep Mode)
Integrated PC	Integrated PC Module draws power internally, without any external power source having i5 Processor, win 10 Professional, 500 GB SATA HDD, 2 GB DDR3 RAM, HD Audio Codec
Warranty	3 Years
Operating Temperature and Humidity	5 deg. C - 40 deg. C
Dimension	1505 x 910 mm
Weight	56.5 Kg.
Supplied Accessories	AC Power cord, User Manual, Remote control, Wall mount bracket, Cables and connectors

LED TOUCH SCREEN

With Higher Brightness and Response Time

Model	VDU 651HT
Technology	LED Backlit VA PANEL
Size of Display & Resolution	Diagonally 65 inches & Full HD 1920 X 1080
Effective Display Area	1428 x 803 mm (W x H)
Orientation	Landscape
Touch Technology	IR
No. of Touch	10 Touch capability
Brightness	450 cd/m ²
Aspect Ratio	16:9
Contrast Ratio	7000:1
Anti-Glare Panel Surface	√
Viewing Angle (H/V)	178:178
Response Time	3 ms
Input Ports	Easily accessible ports in front panel, Total ports - HDMI x 3, VGAX1, PC Audio X 3, S-Video X 1, YPbPr/ YCbCr / Audio out X 1, USB Media Play Port X 1, Touch Frame USB Port X 3
No. of Speakers & Power	2 Inbuilt speakers, 20 Watts RMS each
Communication port	RS 232C
Power supply	230V AC +/- 10%, 50 Hz
Power consumption	<250 Watts (Operational Mode); <0.5 Watts (Sleep Mode)
Integrated PC	Integrated PC Module draws power internally, without any external power source having i5 Processor, win 10 Professional, 500 GB SATA HDD, 2 GB DDR3 RAM, HD Audio Codec
Warranty	3 Years
Operating Temperature and Humidity	0 deg. C - 40 deg. C
Dimension	1505 x 910 mm
Weight	56.5 Kg.
Supplied Accessories	AC Power cord, Stylus Pen, User Manual, Remote control, Wall mount bracket, Cables and connectors

LED TOUCH SCREEN

For 24 x 7 Operation

Model	VDU 652HT
Technology	LED Backlit IPS PANEL
Size of Display & Resolution	Diagonally 65 inches & Full HD 1920 X 1080
Effective Display Area	1428 x 803 mm (W x H)
Orientation	Landscape
Touch Technology	IR
No. of Touch	10 Touch capability
Brightness	600 cd/m ²
Aspect Ratio	16:9
Contrast Ratio	6000:1
Anti-Glare Panel Surface	√
Viewing Angle (H/V)	178:178
Response Time	4 ms
Input Ports	Easily accessible ports in front panel, Total ports - HDMI x 3, VGAX1, PC Audio X 3, S-Video X 1, YPbPr/ YCbCr / Audio out X 1, USB Media Play Port X 1, Touch Frame USB Port X 3
No. of Speakers & Power	2 Inbuilt speakers, 25 Watts RMS each
Communication port	RS 232C
Power supply	230V AC +/- 10%, 50 Hz
Power consumption	<250 Watts (Operational Mode); <0.5 Watts (Sleep Mode)
Integrated PC	Integrated PC Module draws power internally, without any external power source having i5 Processor, win 10 Professional, 500 GB SATA HDD, 2 GB DDR3 RAM, HD Audio Codec
Warranty	3 Years
Operating Temperature and Humidity	0 deg. C - 40 deg. C
Dimension	1505 x 910 mm
Weight	56.5 Kg.
Supplied Accessories	AC Power cord, Stylus Pen, User Manual, Remote control, Wall mount bracket, Cables and connectors



info@hugotechno.com
<http://hugotechno.com/>

Hugo Techno is a progressive company, trusted throughout the world because of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.