## 65Inch LED Touch DISPLAY

Hugo Techno Touch Display 65" 4K (3840 x 2160 pixels) Android Platform and multi-touch capabilities.





## **Product Specifications**

65 Inch Interactive Display	HT-VDU-Z6-IRN
Technology	IPS DLED Backlight, Smart Eye protection
Display size	65"
Resolution	4K (3840 × 2160)
Viewing Angle	178 <sup>0</sup> H / 178 <sup>0</sup> V
Display Color	10 bit -1.07 Billion colours
Brightness	500 cd/m2
Contrast Ratio	5000:1
Display Response Time	4 ms
Aspect Ratio	16:9
Virtual Keyboard	Inbuilt virtual keyboard with English to Hindi writing support.
Smart USB Port	Android & Windows
Input Ports	HDMI x 3, RGB/VGA x 1, Audio x 1, OPS slot x 1;
Output Ports	Audio (Earphone out) x 1; USB Ports: USB 3.0 x 4, USB 2.0 x1, USB Type-B x 2
Communication Port	2 x RJ45, 1x RS232 In
Built-In Speakers	Stereo sound system with two 25-W speakers and one 25-W subwoofer
Working hour	50,000 hrs
Pen Holder	Inbuilt magnetic Pen holder to hold up to 2 pens
Buttons	Volume UP/Down, Home, Back, Menu, Touch on/off & Power Buttons
Refresh Rate Frequency	60Hz
Wireless Connectivity	Inbuilt Dual band Wi-fi and Bluetooth 5.0
OS Support / Embedded Player	Windows 10/ Windows 8/ Windows 7/Linux/Mac/Android Embedded Player CPU Inbuilt
Security	Screen Lock, application lock to restrict unwanted access, Lock USB port.
Power Consumption	250 Watts, Standby < 0.5W
Power Supply	100~240V AC +/- 10%, 50/60 Hz



info@hugotechno.com http://hugotechno.com/

Hugo Techno is a progressive company, trusted throughout the world because of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.

Model: HT-VDU-Z6-IRN

Touch On/Off	Available
Touch Resolution	32767 x 32767
Touch Sensor	Infrared
Touch Points	20 Points
Туре	Anti-glare coating ,4 mm tempered AG Glass
Touch Response Time	4 ms
Touch Accuracy	±1 mm
Communication Interface	USB
Wireless Screen Sharing	Display 4 Multiple screens at the same time while sharing/mirroring the content from a laptop/desktop and a mobile device (Android).
Special Features	In-built Google Play-Store, Gmail, You-tube, cloud drive access from Google drive & one drive applications, In built quiz tool to allow participants to submit answers from their Smart Phones (Answering/Voting/Messaging), built in Screenshot, Screen recording feature supports up to full HD resolutions., Inbuilt Hotspot with internet sharing across the connected devices., Support software based VC with internal android platform like Google meet, Cisco WebEx, Skype, Microsoft teams & zoom applications., Gesture control like Hold five fingers on screen for Interactive display sleep mode, hold and move three fingers on screen for Floating menu & swipe the screen Upside for Pull up menu control., Inbuilt Volume equalizer and surround sound support to enhance the sound quality.
Interactive Classroom Suite	Inbuilt whiteboard software for teaching/ training using Interactive display with features like (Pen, thickness of pen, colours of pen, Pixels eraser and Region eraser, Shapes (Circle, Triangle, Rectangle, arrows), Background of White board (multiple colours also use picture, shape), Redo/Undo, Next/Previous, Select & Drag option, Switching between single touch and multiple touch, Clear screen, List of pages with deleting option, Switching tool bar right to left, Many other Tools (Compass, Protector, Insert Table, Calculator, Curtain, Timer, Calendar, Camera, Spotlight, Multiscreen (divide board in 2,3,and 4 parts with background colour and different pen colour), on screen annotation. Interactive software of the same OEM. Interactive software of the interactive Display detects the Visual Presenter/ Visualiser and able to annotate on the image captured by the Visual Presenter/ Visualiser.
Android Version	11
CPU	Quad core
Memory	4 GB DDR3
Storage	32 GB and expandable up to 512 GB
Standard Accessories	User Manual, Power cable, Remote Control with batteries, All connecting Cables and accessories.
Working Temperature / Humidity	00C ~ 450 C / 10%-80% RH



info@hugotechno.com http://hugotechno.com/

Model: HT-VDU-Z6-IRN

Mounting	Wall-mounted / Stand



info@hugotechno.com http://hugotechno.com/

Model: HT-VDU-Z6-IRN