Professional Large Format Display

Hugo Techno Professional Large Format Display" 4K (3840 x 2160 pixels) Android Platform and multi-touch capabilities.





Product Specifications

DLED Backlight (IPS)	
Aspect Ratio 16:9 Resolution 3840 X 2160 Contrast Ratio 5000:1 Brightness 600 cd/m² Display colour 8 bit-16 million colours Input Ports HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x Output Ports Audio (Earphone out) x 1, SPDIF x 1 USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support Thanks, Anti Scratch, Anti-Glare 7 H hardness, scratch resistant, anti-glare, anti-city and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile dewireless presentation allow user to access their I	
Resolution Contrast Ratio 5000:1 Brightness 600 cd/m² Display colour Input Ports HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x Output Ports USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking Hardness, Anti Scratch, Anti-Glare Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Save Option Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to s Laptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	
Contrast Ratio 5000:1 Brightness 600 cd/m² Display colour 8 bit-16 million colours Input Ports HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x Output Ports Audio (Earphone out) x 1, SPDIF x 1 USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support Thanks, Anti Scratch, Anti-Glare 7 H hardness, scratch resistant, anti-glare, anti-city screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to s Laptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	
Brightness 600 cd/m² Display colour 8 bit-16 million colours Input Ports HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x Output Ports Audio (Earphone out) x 1, SPDIF x 1 USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam install Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt Networking DHCP (Auto identification) and Static IP support Hardness, Anti Scratch, Anti-Glare 7 H hardness, scratch resistant, anti-glare, anti-cate Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content Sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile def Wireless presentation allow user to access their I.	
Display colour Display colour	
Input Ports HDMI x 3, RGB/VGA x 1, Audio x 1, PC slot x Output Ports Audio (Earphone out) x 1, SPDIF x 1 USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support Thardness, Anti Scratch, Anti-Glare The hardness, scratch resistant, anti-glare, anti-city and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	
Output Ports Audio (Earphone out) x 1, SPDIF x 1 USB Ports USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal. Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support Tardness, Anti Scratch, Anti-Glare 7 H hardness, scratch resistant, anti-glare, anti-cut Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to stappy Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	
USB 2.0 Type A x 3, USB 3.0 Type A x 3 Camera Plate Camera Plate on top for screw-in web cam instal Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support 7 H hardness, scratch resistant, anti-glare, anti-composition of the save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile degrees wireless presentation allow user to access their L	x 1, RS232x1
Camera Plate Camera Plate on top for screw-in web cam instal. Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support 7 H hardness, scratch resistant, anti-glare, anti-composition of the save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile device Wireless presentation allow user to access their I	
Communication port RJ45 x 1 Gigabit LAN Port Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support 7 H hardness, Scratch resistant, anti-glare, anti-comparison of the property of the propert	
Built In Speakers 2.1 Stereo Sound with in-built 20-Watt x 2 speak Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support 7 H hardness, Anti Scratch, Anti-Glare Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to stappone Laptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	allation
Watt x 1 Sub-Woofer Viewing Angle Horizontal 178 degrees, Vertical 178 degrees OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support 7 H hardness, scratch resistant, anti-glare, anti-cate Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	
OS Support/Embedded Player Windows 10/ Windows 8/ Windows 7/Linux/Ma Inbuilt. Networking DHCP (Auto identification) and Static IP support The Hardness, Anti Scratch, Anti-Glare The Hardness, Scratch resistant, anti-glare, anti-comparison of the Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to start Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop and Inbuilt Mini PC shared wirelessly on other hardware requirement. LFD allow user to start Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile des Wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile desktop (Mac, Windows) and mobile desktop (Mac, Windows) and Machine (Machine (Mac, Windows)) and Machine (Machine (Mac, Windows)) and Machine (Machine (Machin	akers and 15
Inbuilt. Networking DHCP (Auto identification) and Static IP support The Hardness, Anti Scratch, Anti-Glare The Hardness, Scratch resistant, anti-glare, anti-comparison of the save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to substanting Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop and IDM user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access their Laptop/Desktop (Mac, Windows) and mobile design wireless presentation allow user to access the access the access the presentation wireless presentation allow user to access the access the access the access wireless presentation wireless presentation wireless presentation wire	
Hardness, Anti Scratch, Anti-Glare Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to stapped Laptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	Aac/Android Embedded Player CPU
Save Option Option to save directly to Google Drive and One Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	orted
Screen Mirroring, Wireless content sharing Data from in-built Mini PC shared wirelessly on other hardware requirement. LFD allow user to staptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	crack resistant
Screen Mirroring, Wireless content sharing other hardware requirement. LFD allow user to starting Laptop/Desktop (Mac, Windows) and mobile dew Wireless presentation allow user to access their L	ne Drive
QR Code Scan File download feature in smart phone just by scales and the scale of t	o share/mirror the content of device (iOS, Android) wirelessly,
	canning the QR code
Video Conferencing Interface Support USB based PTZ cameras allowing Softw	itware based Video Conferencing



info@hugotechno.com http://hugotechno.com/

Hugo Techno is a progressive company, trusted throughout the world because of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.

Model: HT-VDU-Z7-IRN

Integrated Wireless and Bluetooth Module	Dual band (2.4Ghz and 5Ghz). It also fast Bluetooth 4.0 connection with BLE (Bluetooth Low Energy) which saves power for one-to-one file and data transferring.
Power supply requirement	230V AC +/- 10%, 50 Hz
Max Power consumption	140 Watts
Certifications	BIS
In-Built Android Hardware	
CPU	Quad core 1.5 GHz
Memory	3 GB
Storage	32 GB eMMC
Android Version	8
Accessories	AC Power cord, User Manual, Remote control, HDMI interface cable, Wall mount bracket, Floor Stand



info@hugotechno.com/ http://hugotechno.com/

Model: HT-VDU-Z7-IRN