

hugoTECHNO

Video Conferencing Camera



hugo
TECHNO

info@hugotechno.com
<http://hugotechno.com/>

Hugo Techno is a progressive company, trusted throughout the world cause of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.

Model: Live HT-HD10C

Product Specification

Video Conferencing Camera - Live HT-HD10C	
Sensor	1/2.7", CMOS, Effective Pixel: 2.07M, Progressive Scanning Mode
Lens	f4.4mm ~ 88.5mm, F1.8 ~ F2.8
Optical/ Digital Zoom	20x /16x
Minimal Illumination	0.5 Lux @ (F1.8, AGC ON)
Shutter	1/30s ~ 1/10000s
Other Feature	White Balance: Auto, Indoor, Outdoor, One Push, Manual DNR: 2D&3D Digital Noise Reduction BLC: Support
Video S/N	≥55dB
H & V Flip	Support
Image Freeze	Support
Number of Preset	255
Preset Accuracy	0.1°
Video System	1080p/60, 1080p/50, 1080i/60, 1080i/50, 1080p/30, 1080p/25
Horizontal/ Vertical Angle of View	60.7 degrees ~ 3.36 degrees / 34.1 degrees ~ 1.89 degrees
Horizontal / Vertical Rotation Range	±170 degree / 30 degrees ~ Plus 90 degree
Pan Speed/ Tilt Speed Range	1.7 degrees ~ 100 degrees per second / 1.7 degrees ~ 70 degrees per second
Operating System Supported	Windows 7, Windows 8, Windows 10, Mac OS X, Linux, Android
Color System	YUV 4:2:2
Video Format USB 3.0	1080P@60fps
Audio on USB	Support
Video	H.265/H.264/MJPEG
Stream	Mainstream: 1920x1080, 1280x720, 1024x576 Mainstream: Sub Stream Sub Stream: 1280x720, 720x576, 320x240
Frame Rate	50Hz: 1fps ~ 50fps, 60Hz: 1fps ~ 60fps
Video Bit Rate	128Kbps ~ 8192Kbps
Bit Rate Type	Variable Rate, Fixed Rate
Audio	AAC
Audio Bit Rate	96Kbps, 128Kbps, 256Kbps
Support protocols	RTSP, RTMP, Onvif, DHCP, Multicast/IP, HTTP,
Audio Encoding	Supports AAC audio encoding for better sound quality and smaller bandwidth.



info@hugotechno.com
<http://hugotechno.com/>

Hugo Techno is a progressive company, trusted throughout the world cause of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.

Model: Live HT-HD10C

Local Storage	Supports local storage module, which records directly to a USB flash drive
Remote Control	Available
Video Output	1xUSB3.0, 1x HDMI, 1x CVBS
Network Interface	1xRJ45: 10M/100M Ethernet Interface
Audio Interface	1-ch: 3.5mm Audio Interface Line In
Communication Interface	1xRS232 In, 1xRS232 Out, 1xRS485
Operating Temperature	0°C ~ 40°C
Storage Temperature	-10°C ~ 60°C
Power Jack	JEITA type (DC IN 12V)
tripod stand	Available



info@hugotechno.com
<http://hugotechno.com/>

Hugo Techno is a progressive company, trusted throughout the world cause of our commitment to customer satisfaction, environmental conservation individuality and teamwork. We are confident of our collective skills and meet challenges with innovation and creative solutions.

Model: Live HT-HD10C